

Control Union Certifications B.V.
 attn. Reports
 Meeuwenlaan 4
 8011 BZ Zwolle
 NIEDERLANDE

Person in charge	Mrs. F. Fuchs	- 714
ASM	Mrs. F. Fuchs	- 714

Report date 14.09.2017

Analytical report

AR-17-SF-051028-02


This report replaces report number: AR-17-SF-051028-01

Sample Code

724-2017-00051590

Reference

 Plums
 CU Cert: 068928, Client: 068927
 Control Union Certifications

Sample sender

Prescriber

Reception date time

Transport by

Client sample code

Start analysis

End analysis

 Reports
 07.09.2017
 DHL
 068924
 07.09.2017
 12.09.2017

Analysis	Testcode	Method
Pesticide screening using LC/MS/MS in food	SFLD0 / PSFLK	LFGB L 00.00-113
Pesticide screening GC/MS in food with high water content	SFLAK / PSFLK	Internal method

This report replaces report number: AR-17-SF-051028-01

Test results

Parameter	Measurement	Unit	Result	LOQ
SFLAK: GC-MS [GC-MS] // LA-GCLC-001 (#)				
Screened pesticides	GC-MS [GC-MS]		<LOQ	
SFLD0: LC-MS/MS [LC-MS/MS] // LA-LCMS-007 (#)				
Screened pesticides	LC-MS/MS [LC-MS/MS]		<LOQ	

LOQ = Limit of Quantification

MRL = Maximum Residue Level

<LOQ = below limit of quantification

(#) = SOFIA (Berlin) is accredited for this test.



Signature

Analytical Service Manager (Franziska Fuchs)

This report replaces report number: AR-17-SF-051028-01

List of analysed substances:
SFLAK Pesticide screening GC/MS in food with high water content

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
2,4,5-T-Methylester	0.01	2,4-D-Methylester	0.01
Acetochlor	0.05	Aclonifen	0.02
Acrinathrin	0.01	Alachlor	0.01
Aldrin	0.005	Allethrin	0.01
Amidithion	0.01	Anthraquinone	0.02
Atrazine	0.05	Azaconazole	0.01
Azinphos-ethyl	0.01	Azinphos-methyl	0.01
Azoxystrobin	0.01	Benfluralin	0.005
Benoxacor	0.01	Benzoylprop-ethyl	0.05
Bifenox	0.01	Bifenthrin	0.005
Binapacryl	0.02	Bitertanol	0.05
Boscalid	0.03	Bromfenvinphos	0.01
Bromocyclen	0.01	Bromophos-ethyl	0.005
Bromophos-methyl	0.005	Bromopropylate	0.01
Buprofezin	0.05	Butachlor	0.01
Butamifos	0.005	Butralin	0.01
Cadusaphos	0.01	Captafol	0.01
Captan	0.01	Carbophenothion	0.005
Carbophenothion-methyl	0.01	Carfentrazone-ethyl	0.01
Chinomethionate	0.01	Chlorbenside	0.005
Chlordane, cis-	0.005	Chlordane, oxy-	0.01
Chlordane, trans-	0.005	Chlordecon	0.01
Chlorethoxyfos	0.005	Chlorfenapyr	0.005
Chlorfenprop-methyl	0.01	Chlorfenson	0.005
Chlorfenvinphos	0.01	Chloridazone	0.01
Chlormephos	0.005	Chlorobenzilate	0.005
Chloroneb	0.1	Chloropropylate	0.005
Chlorothalonil	0.005	Chlorpyrifos (-ethyl)	0.005
Chlorpyrifos-methyl	0.005	Chlorthal-dimethyl	0.005
Chlorthion	0.01	Chlorthiophos	0.005
Chlozolate	0.01	Cinidon-ethyl	0.01
Clodinafop-propargyl	0.03	Coumaphos	0.005
Crotoxyphos	0.01	Cyanofenphos	0.01
Cyanophos	0.01	Cyfluthrin	0.01
Cyhalothrin	0.01	Cyhalothrin, lambda-	0.01
Cypermethrin	0.005	Cyphenothrin	0.01
Cyproconazole	0.04	DDD, o,p-	0.005
DDE, o,p-	0.005		

Page 3/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
 (DAKkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
 aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
 request

This report replaces report number: AR-17-SF-051028-01

SFLAK Pesticide screening GC/MS in food with high water content

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-T DE)	0.01	Deltamethrin	0.005
Dialifos	0.01	Diallate	0.01
Diazinon	0.01	Dibromobenzophenone, p,p-	0.01
Dicapthon	0.01	Dichlobenil	0.05
Dichlofenthion	0.01	Dichlofluanid	0.005
Dichlorvos	0.025	Diclofop-methyl	0.02
Dicloran	0.005	Dicofol, o,p-	0.005
Dicofol, p,p-	0.005	Dicrotophos	0.01
Dieldrin	0.005	Dienochlor	0.01
Difenoconazole	0.015	Diffufenican	0.01
Dimefox	0.05	Dimethachlor	0.01
Dimethipin	0.01	Dimethoate	0.02
Dimethomorph	0.01	Diniconazole	0.01
Dinitramine	0.01	Dinobuton	0.05
Disulfoton	0.01	Disulfoton-sulfon	0.01
Ditalimfos	0.005	Edifenphos	0.01
Endosulfan sulphate	0.005	Endosulfan, alpha-	0.005
Endosulfan, beta-	0.005	Endrin	0.005
Endrin ketone	0.005	EPN	0.01
Epoconazole	0.04	Etaconazole	0.02
Ethalfuralin	0.01	Ethion	0.005
Ethiprole	0.02	Ethofumesate	0.05
Ethoprophos	0.005	Etridiazole	0.005
Etrimfos	0.005	Famophos	0.01
Famoxadone	0.01	Fenamidone	0.02
Fenamiphos	0.02	Fenarimol	0.05
Fenbuconazole	0.01	Fenchlorazole-ethyl	0.01
Fenchlorphos	0.005	Fenfluthrin	0.01
Fenhexamid	0.05	Fenitrothion	0.005
Fenoxaprop-ethyl	0.05	Fenpiclonil	0.05
Fenpropathrin	0.005	Fenpropimorph	0.05
Fenson	0.01	Fensulfothion	0.01
Fenvalerate (RR-/SS-Isomers)	0.005	Fenvalerate (RS-/SR-Isomers)	0.005
Fipronil	0.004	Fipronil, desulfanyl-	0.004
Fipronil-sulfide	0.005	Fipronil-sulfone	0.005
Flamprop-isopropyl	0.01	Flamprop-methyl	0.01
Fonicamid	0.05	Fluazifop-butyl	0.05
Fluazinam	0.01	Fluchloralin	0.005
Flucythrinate	0.01	Flufenoxuron	0.01
Flumethrine	0.01	Flumetralin	0.005
Fluopicolid	0.01	Fluorodifen	0.005

Page 4/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
 (DAKkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
 aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
 request

This report replaces report number: AR-17-SF-051028-01

SFLAK Pesticide screening GC/MS in food with high water content

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Fluotrimazole	0.1	Fluquinconazole	0.01
Flurenol-butyl	0.02	Flurochloridone	0.01
Flurtamone	0.01	Flusilazole	0.025
Folpet	0.01	Fonofos	0.005
Formothion	0.01	Genite	0.01
Halfenprox	0.01	Haloxyfop-2-ethoxyethyl	0.01
Haloxyfop-methyl	0.05	HCH, alpha-	0.004
HCH, beta-	0.003	HCH, delta-	0.005
HCH, epsilon-	0.005	Heptachlor	0.004
Heptachlor epoxide, cis-	0.005	Heptachlor epoxide, trans-	0.005
Heptenophos	0.01	Hexachlorobenzene (HCB)	0.005
Hexaconazole	0.015	Indanofan	0.02
Indoxacarb	0.005	Iodofenphos	0.005
Ioxynil-octanoate	0.01	Iprobenfos	0.01
Iprodione	0.01	Isazophos	0.01
Isobenzan	0.005	Isocarbofos	0.01
Isodrin	0.005	Isofenphos	0.005
Isofenphos-methyl	0.005	Isomethiozin	0.01
Isopropalin	0.005	Isoxadifen-ethyl	0.01
Kresoxim-methyl	0.005	Lactofen	0.01
Leptophos	0.01	Lindane (gamma-HCH)	0.005
Lufenuron	0.012	Malaoxon	0.01
Malathion	0.005	Mecarbam	0.01
Mephosfolan	0.01	Merphos	0.01
Metazachlor	0.01	Methacriphos	0.05
Methidathion	0.01	Methoxychlor	0.005
Metolachlor	0.05	Metrafenone	0.05
Metribuzin	0.01	Mevinphos	0.01
Mirex	0.005	Molinate	0.015
Myclobutanil	0.005	Nitralin	0.01
Nitrapyrin	0.02	Nitrofen	0.01
Nitrothal-isopropyl	0.01	Norflurazon	0.05
Nuarimol	0.01	Omethoate	0.1
Oxadiazon	0.005	Oxydemeton-methyl	0.01
Oxyfluorfen	0.01	Paclobutrazol	0.04
Paraoxon-ethyl	0.015	Paraoxon-methyl	0.015
Parathion	0.005	Parathion-methyl	0.005
Penconazole	0.01	Pendimethalin	0.005
Pentachloranisole	0.005	Pentachloroaniline	0.01
Pentachlorobenzene	0.005	Pentachlorothioanisole	0.01
Permethrin	0.02	Perthane	0.2
Phenkapton	0.01	Phenothrin	0.01
Phenthoate	0.01	Phosalone	0.01

Page 5/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.: DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH (DAKkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on request

This report replaces report number: AR-17-SF-051028-01

SFLAK Pesticide screening GC/MS in food with high water content

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Phosfolan	0.01	Phosmet	0.01
Picolinafen	0.01	Picoxystrobin	0.02
Piperophos	0.01	Pirimiphos-ethyl	0.01
Pirimiphos-methyl	0.01	Plifenate	0.01
Prallethrin	0.01	Procymidone	0.015
Profenofos	0.005	Profluralin	0.005
Propachlor	0.01	Propanil	0.01
Propazine	0.05	Propetamphos	0.005
Propiconazole	0.01	Propyzamide	0.01
Prothiofos	0.005	Prothoate	0.01
Pyraclofos	0.01	Pyraflufen-ethyl	0.02
Pyrazophos	0.01	Pyrethrins	0.02
Pyridaben	0.005	Pyridaphenthion	0.01
Pyrifenox	0.01	Pyrimitate	0.05
Quinalphos	0.005	Quinoxifen	0.015
Quintozene	0.005	Quizalofop ethyl	0.01
Resmethrin	0.1	S 421	0.01
Spiromesifen	0.01	Sulfotep	0.01
Sulprofos	0.01	Swep	0.01
tau-Fluvalinate	0.005	Tebupirimfos	0.005
Tecnazene	0.005	Tefluthrin	0.005
Temephos	0.01	Terbufos	0.005
Tetrachlorvinphos	0.005	Tetraconazole	0.025
Tetradifon	0.005	Tetramethrin	0.01
Tetrasul	0.01	Tolclofos-methyl	0.01
Tolyfluanid	0.01	Toxaphene Parlar 26	0.01
Toxaphene Parlar 50	0.01	Toxaphene Parlar 62	0.01
Transfluthrin	0.01	Triadimefon	0.01
Triadimenol	0.05	Triallate	0.01
Triamiphos	0.025	Triazophos	0.02
Tribufos	0.01	Trichloronat	0.005
Tridiphane	0.05	Trifloxystrobin	0.01
Trifluralin	0.005	Vamidothion	0.01
Vinclozolin	0.005		

SFLD0 Pesticide screening using LC/MS/MS in food

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
2,4'-Formoxylidid (Amitraz Metabolite)	0.01	3-Hydroxycarbofuran	0.005
6-Chlor-3-phenylpyridazin-4-ol	0.005	Abamectin	0.01
Acephate	0.005	Acetamiprid	0.005

Page 6/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH (DAKkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on request

This report replaces report number: AR-17-SF-051028-01

SFLD0 Pesticide screening using LC/MS/MS in food

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Acetochlor	0.02	Alachlor	0.01
Aldicarb	0.005	Aldicarb-sulfone	0.01
Aldicarb-sulfoxide	0.005	Ametoctradin	0.01
Ametryn	0.005	Amidosulfuron	0.01
Aminocarb	0.01	Amitraz	0.01
Ancymidol	0.01	Atrazin, desethyl-	0.005
Atrazine	0.005	Azaconazole	0.01
Azamethiphos	0.01	Aziprotryn	0.01
Azoxystrobin	0.005	Benalaxyl	0.01
Bendiocarb	0.005	Benfuracarb	0.005
Benodanil	0.005	Benomyl	0.005
Bensulfuron methyl	0.005	Benthiavalicarb, isopropyl-	0.005
Bitertanol	0.01	Boscalid	0.005
Bromacil	0.01	Bupirimate	0.01
Buprofezin	0.005	Butachlor	0.02
Butocarboxim	0.005	Butocarboxim-sulfoxide	0.005
Butoxycarboxim	0.005	Buturon	0.005
Cadusaphos	0.01	Carbaryl	0.005
Carbendazim	0.005	Carbofuran	0.005
Carbosulfan	0.005	Carboxin	0.005
Chlorantraniliprole	0.01	Chlorbromuron	0.005
Chlorfluazuron	0.01	Chloridazone	0.005
Chlorotoluron	0.005	Chloroxuron	0.01
Chlorpropham	0.02	Chlorsulfuron	0.005
Cinidon-ethyl	0.01	Cinosulfuron	0.005
Clethodim	0.01	Clodinafop-propargyl	0.01
Clofentezine	0.005	Clomazone	0.005
Clothianidin	0.01	Cyanazine	0.01
Cyazofamid	0.02	Cymoxanil	0.1
Cyproconazole	0.005	Cyprodinil	0.01
Cyprofuram	0.03	Cyromazine	0.02
Demeton	0.01	Demeton-S-methyl	0.005
Demeton-S-methyl-sulfone	0.005	Desmedipham	0.005
Desmetryn	0.005	Diazinon	0.01
Dichlorvos	0.005	Diclobutrazol	0.01
Diethofencarb	0.005	Diethyltoluamide	0.01
Difenoconazole	0.005	Difenoxuron	0.01
Diflubenzuron	0.02	Diflufenican	0.01
Dimefox	0.05	Dimefuron	0.01
Dimethenamid	0.005	Dimethoate	0.005
Dimethomorph	0.01	Dimetilan	0.005
Dimoxystrobin	0.005	Dinotefuran	0.05
Disulfoton	0.005	Disulfoton-sulfon	0.01

Page 7/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
 (DAKkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
 aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
 request

This report replaces report number: AR-17-SF-051028-01

SFLD0 Pesticide screening using LC/MS/MS in food

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Disulfoton-sulfoxide	0.01	Diuron	0.005
Emamectin (Sum)	0.01	Epoxiconazole	0.005
Ethiofencarb	0.005	Ethiofencarb-sulfone	0.005
Ethiofencarb-sulfoxide	0.005	Ethiprole	0.01
Ethofumesat-2-keto	0.05	Ethofumesate	0.01
Ethoprophos	0.005	Etofenprox	0.005
Etoxazole	0.01	Famoxadone	0.01
Fenamidone	0.01	Fenamiphos	0.01
Fenamiphos-sulfone	0.01	Fenamiphos-sulfoxide	0.01
Fenarimol	0.005	Fenazaquin	0.005
Fenbuconazole	0.005	Fenhexamid	0.005
Fenobucarb	0.01	Fenoxaprop-ethyl	0.01
Fenoxycarb	0.005	Fenpiclonil	0.01
Fenpropidin	0.01	Fenpropimorph	0.005
Fenpyroximate	0.01	Fensulfothion	0.01
Fensulfothion-oxon-sulfone	0.01	Fensulfothion-oxon-sulfoxide	0.01
Fensulfothion-sulfone	0.01	Fenthion	0.01
Fenthion-oxon	0.01	Fenthion-oxon-sulfone	0.01
Fenthion-oxon-sulfoxide	0.01	Fenthion-sulfone	0.01
Fenthion-sulfoxide	0.01	Fenuron	0.005
Flazasulfuron	0.005	Fonicamid	0.01
Florasulam	0.005	Fluazifop-P-butyl	0.005
Fluazuron	0.02	Flucycloxuron	0.005
Fludioxonil	0.01	Flufenacet	0.01
Flufenoxuron	0.01	Fluometuron	0.01
Fluopicolid	0.01	Flurochloridone	0.01
Flurprimidol	0.01	Flusilazole	0.005
Flutriafol	0.01	FM-6-1	0.01
Formetanate	0.01	Fosthiazate	0.01
Fuberidazole	0.005	Furathiocarb	0.005
Halofenozide	0.005	Haloxypop-2-ethoxyethyl	0.005
Haloxypop-methyl	0.005	Hexaconazole	0.01
Hexaflumuron	0.05	Hexazinone	0.01
Hexythiazox	0.005	Imazalil	0.005
Imibenconazole	0.01	Imidacloprid	0.005
Indoxacarb	0.005	Iodosulfuron methyl	0.005
Iprovalicarb	0.005	Isoprocab	0.01
Isoprothiolane	0.01	Isoproturon	0.005
Isoxaben	0.01	Isoxaflutole	0.005
Isoxathion	0.01	Lenacil	0.01
Linuron	0.005	Lufenuron	0.01
Malaoxon	0.01	Malathion	0.01
Mandipropamid	0.01	Mepanipyrim	0.005

Page 8/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
 (DAKkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
 aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
 request

This report replaces report number: AR-17-SF-051028-01

SFLD0 Pesticide screening using LC/MS/MS in food

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Metalaxyl	0.005	Metamitron	0.005
Metazachlor	0.005	Metconazole	0.01
Methabenzthiazuron	0.005	Methacriphos	0.01
Methamidophos	0.005	Methidathion	0.01
Methiocarb	0.005	Methiocarb-sulfone	0.01
Methiocarb-sulfoxide	0.01	Methomyl	0.005
Methoprotryne	0.005	Methoxyfenozide	0.005
Metobromuron	0.005	Metolachlor	0.005
Metolcarb	0.005	Metoxuron	0.005
Metrafenone	0.005	Metribuzin	0.005
Metsulfuron-methyl	0.005	Molinate	0.01
Monocrotophos	0.005	Monolinuron	0.005
Monuron	0.005	N-2,4-dimethylphenyl-N-methylforma midine	0.05
Napropamide	0.01	Neburon	0.005
Nicosulfuron	0.01	Novaluron	0.01
Nuarimol	0.025	Ofurace	0.005
Omethoate	0.01	Orbencarb	0.005
Oxadixyl	0.005	Oxamyl	0.005
Oxamyl-oxime	0.01	Oxydemeton-methyl	0.005
Paclobutrazol	0.01	Paraoxon-ethyl	0.01
Paraoxon-methyl	0.01	Penconazole	0.005
Pencycuron	0.01	Pendimethalin	0.005
Pentanochlor	0.01	Phenmedipham	0.005
Phorate	0.01	Phorate-sulfone	0.01
Phorate-sulfoxide	0.01	Phosmet	0.01
Phosphamidon	0.01	Phoxim	0.01
Picoxystrobin	0.005	Piperonyl butoxide	0.01
Pirimicarb	0.005	Pirimicarb, desmethyl-	0.005
Pirimicarb, desmethyl-formamido-	0.005	Primisulfuron-methyl	0.005
Prochloraz	0.005	Promecarb	0.005
Prometon	0.005	Prometryn	0.005
Propamocarb	0.005	Propargite	0.01
Propazine	0.005	Propham	0.03
Propiconazole	0.01	Propoxur	0.005
Propoxycarbazon	0.01	Proquinazid	0.005
Prosulfocarb	0.01	Prosulfuron	0.005
Pymetrozine	0.005	Pyraclostrobin	0.005
Pyraflufen-ethyl	0.01	Pyrethrins	0.5
Pyridate	0.005	Pyrimethanil	0.005
Pyrimidifen	0.01	Pyriproxyfen	0.005
Quizalofop ethyl	0.005	Rabenzazole	0.005
Rimsulfuron	0.02	Rotenone	0.01

Page 9/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtsstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
 (DAKkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
 aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
 request

This report replaces report number: AR-17-SF-051028-01

SFLD0 Pesticide screening using LC/MS/MS in food

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Sebuthylazine	0.005	Sethoxydim	0.01
Silafluofen	0.05	Simazine	0.005
Simazine, desethyl-	0.01	Simeconazole	0.005
Spinosad	0.005	Spirodiclofen	0.01
Spiromesifen	0.01	Spirotetramat	0.01
Spiroxamine	0.005	Tebuconazole	0.005
Tebufenozide	0.005	Tebufenpyrad	0.005
Teflubenzuron	0.05	TEPP	0.01
Terbacil	0.01	Terbufos	0.005
Terbufos-sulfone	0.005	Terbufos-sulfoxide	0.005
Terbutylazine	0.01	Terbutylazine, desethyl-	0.005
Terbutryn	0.005	Tetraconazole	0.01
Thiabendazole	0.005	Thiabendazole, 5-hydroxy-	0.01
Thiacloprid	0.005	Thiamethoxam	0.005
Thiazafluron	0.005	Thifensulfuron methyl	0.005
Thiocarbazil	0.01	Thiodicarb	0.005
Thiofanox	0.01	Thiofanox-sulfone	0.005
Thiofanox-sulfone	0.005	Thiofanox-sulfoxide	0.005
Thiofanox-sulfoxide	0.005	Thiometon	0.05
Thionazin	0.01	Thiophanate (-ethyl)	0.005
Thiophanate-methyl	0.005	Triadimefon	0.01
Triadimenol	0.01	Triamiphos	0.01
Triasulfuron	0.005	Triazamate	0.01
Triazophos	0.005	Tribenuron-methyl	0.01
Trichlorfon	0.05	Tricyclazole	0.01
Tridemorph	0.01	Trietazine	0.01
Trifloxystrobin	0.01	Trifloxysulfuron	0.01
Triflumizole	0.005	Triflumuron	0.01
Triflusulfuron-methyl	0.005	Triforine	0.01
Trimethycarb, 3,4,5-	0.01	Triticonazole	0.005
Uniconazole	0.005	Vamidotion	0.005
Vamidotion-sulfone	0.01	Vamidotion-sulfoxide	0.01
Zoxamide	0.01		